

Volvo XC90

VIN kodas

YV1LCK2UCN1786878

Sugeneruota: 2026-03-12 09:56

Galioja: 364 d.

Informacija

Pateikiami pagrindiniai tikrinamo automobilio duomenys bei atliktų patikrinimų santrauka.

 Markė, modelis
Volvo XC90

 Pavarų dėžė
Automatinė

 Pirmos registracijos metai
2021

 Kuro tipas
Dyzelinas / Elektra



Rida

 Nerasta neatitikimų ridos istorijoje



Vagystės

 Įrašų nerasta



Žalų / remontų vertinimas

 Rasta informacijos apie automobilio pažeidimus



Nuotraukos

 Automobilio istorinės nuotraukos nerastos

Automobilio techninė informacija

(Originalo kalba)

| | |
|-----------------|------------------------------------|
| Production date | 2021-07-05 |
| Model | XC90 (16-) / INSCRIPTION EU 5-SEAT |
| Series | XC90 |
| Generation | XC90 (16-) |
| Engine code | D420T2 VED4 HP 2.0L 235/480 |
| Power | 173 |
| Fuel type | diesel |
| Displacement | 2.00 |
| Drive type | AWD |
| Steering side | Left |

| | |
|-------------------|---------------------|
| Color | ONYX BLACK |
| Interior | CHARCOAL/LEAC/SLATE |
| Transmission | Automatic |
| Transmission code | AWF8G55 |

Automobilio komplektacija (Originalo kalba)

| | |
|------|--|
| PB02 | MAKEUP LAMP SUNVISOR 2 illuminated sun visors |
| V102 | PARKING TICKET HOLDER With Ticket holder |
| 7902 | Total weight check Carweight is OK |
| N403 | LOADHOLDER Loadholder,5-door |
| FR02 | ROAD SIGN INFORMATION With RSI |
| GR03 | GRILL TYPE Inscription grill |
| KB02 | COMBINED INSTRUMENT Drivers Information Module with 12.3 inch screen |
| KG03 | CRUISE CONTROL Adaptive Cruise Control |
| LB03 | KEY FOB Key fob Inscription |
| PN03 | REAR VIEW MIRROR,TYPE Automatic dimming inner and outer |
| TC03 | HANDLE DOORS Handle side door with chrome, damper, keyless and illumination |
| FH01 | ROOF COLOUR INTERIOR Charcoal roof colour interior |
| KK03 | USB CONNECTION With USB hub, type A |
| KZ06 | TELEMATIC MODULE With Telematic module, ROW LTE |
| EQ02 | KNEE AIRBAG Knee airbag driver side |
| NR03 | POWER RELEASE 2:d ROW Mechanical release fold 2:d row rear seat |
| N202 | LUGGAGE NET, TEXTILE Luggage net, backrest |
| 6F01 | WHEEL NUT PROTECTION CAP Plastic protection cap |
| 8G04 | DEVICE MIRRORING Device mirroring, Carplay & AndroidAuto |
| G402 | ELECTRIC FUEL LID OPENING With electric fuel lid opening |
| CG02 | FUEL Diesel |
| EE03 | PARKING CLIMATE LEVEL Heating parking climate |
| 1504 | STOLEN VEHICLE/THEFT NOTIFY With Stolen Vehicle Tracking / With Theft Notification |
| 1602 | ASSISTANCE SERVICES With Assistance Services |
| 2702 | CONNECTIVITY With Connectivity |
| 2G03 | Parking camera parking camera 360 |
| 3P01 | END STOP QUANTITY, PASSENGER Endstop passager seat, 1psc |
| C502 | Turbo configuration high performance |
| DF02 | GEARBOX,TYPE Automatic gearbox |
| EG02 | Bypass valve hvac with bypass valve |
| JV02 | SIM CARD FOR CONNECTIVITY only through Personal SIM |

| | |
|------|--|
| KH02 | Head up display with head up display, graphic |
| LL02 | VISIBLE LOCKING/UNLOCKING Visible locking and unlocking feedback, default ON |
| LO03 | PANIC FUNCTION Panic function with light & sound |
| LU03 | AUTOMATIC LOCKING BY SPEED Automatic Locking by speed enabled, default ON |
| MT04 | INSTRUMENT CLUSTER CALIBR. Parameter file for EUROPE |
| N704 | CHILD SEAT ATTCHM, LABEL REAR Isofix label, B |
| NG04 | Upholstery material leather agnes perforated |
| PM02 | SUN CURTAIN SIDEWINDOW REAR Sunblind,side window |
| T002 | MODEL EMBLEM V526 emblem |
| 2Z01 | Remote monitoring system rms deactivated |
| 8J0E | CAR/GEARBOX/DRIVELINE V526 auto 4wd |
| EM02 | Err seat belts with electrical reversible retractors |
| J202 | STOP LIGHT LED stop light |
| L601 | Retrigger enabling - if alarm retrigger 1 cycle |
| NZ01 | Upholstery type production upholstery |
| NY04 | PROTECTION CARPETS, row 1 & 2 Carpet kit, textile Inscription |
| TQ02 | Chrome strip bumper chrome stripe at reflex, rear bumper |
| UF02 | WHEEL ARCH Painted Large wheel arch |
| 8F04 | Infotainment head unit extra variant |
| K402 | Dab radio receiver with dab |
| RC01 | BRAKE PADS Standard pad |
| EF02 | REFRIGERANT AGENT QUANTITY Refrigerating agent 650g |
| K504 | Radio, amp & speaker system high performance audio, pro |
| KI05 | Traffic jam assist with traffic jam assist 4 |
| DB0B | Gearbox aw8gawd, automatic 8-speed awd |
| 8B03 | Gearbox/driveline 8-speed automatic, 2wd and 4wd |
| BA09 | Ac compressors mechanical d (170cc) |
| CM03 | Enhanced regen/48v kers with 48v kers |
| DA03 | Shift by wire with shift by wire 2 |
| PJ04 | Loading floor, rear rear loading floor 1 |
| 2402 | WORKSHOP WIFI With workshop wifi |
| HA01 | INSULATED AIR DUCT B-PILLAR No insulated air dukt in B-pillar |
| L103 | Alarm with alarm preparation |
| 1107 | Exterior code onyx black |
| 7106 | Leather ip x-variant |
| R306 | Rim, inch 21' rim |
| MC05 | Air quality system aac, air quality system, multifilter3 |
| ER03 | Pre cleaning with pre-cleaning global |
| TA01 | HEATED WINDSCREEN No Heated Frontscreen |

| | |
|------|--|
| 7D04 | Rear shock absorber rear shock absorber 1 |
| 6D01 | POLESTAR ENGINEERED Not Polestar Engineered |
| NC14 | Interior decor panels decor 'grey ash wood' |
| 9524 | Bumper front extra variant |
| 7205 | SIDE PANEL, LUGGAGE AREA Side Panel 5, luggage area |
| 7G04 | Rear anti-roll bar rear anti-roll bar 4 |
| FG0E | Seat colour interior slate upholstery colour interior |
| TV01 | BUMPER FRONT Front bumper with holes for number plate holder |
| 1401 | SECONDARY EXTERIOR CODE No secondary exterior code |
| G902 | MFI FUEL FILLER MisFueling Inhibitor |
| MW03 | SERVICE TIME Service time, 12 months. |
| MX0D | SERVICE ENGINE TIME Service Engine Time, 650 hour |
| US01 | UNIT SETTINGS Temp:C, Clock:24, Distance:KM, Fuel:Liter/KM |
| YV01 | OCCUPANTS No occupants |
| YY01 | TYRE DIMENSION FOR LABELS NONE |
| 2802 | CSB - IF CONNECTIVITY Connected Service Booking |
| AF01 | DOORS 5 door |
| BG02 | THERMOSTAT Thermostat MEK |
| C201 | ENGINE FAMILY 4 MP/HP |
| E901 | PARKING CLIMATE LEVEL, OPTION No parking climate option |
| FE02 | FUEL ECONOMY LABEL NO FUEL ECONOMY LABEL |
| JH01 | HORN Horn, std. |
| LY02 | FREQUENCY - REMOTE CONTROLS Frequency 434 MHZ |
| MK07 | SPEECH LANGUAGE, NOT USED English |
| RR02 | STEERING COLUMN Steering column type B manual adj. |
| VX04 | CEM High spec CEM |
| XA01 | MARKET PLATES/LABELS Decals outside Japan/China |
| XA09 | MARKET PLATES/LABELS Labels outside Canada |
| XA16 | MARKET PLATES/LABELS Decals outside Brazil |
| XA1C | MARKET PLATES/LABELS Decals for outside Turkey |
| XA1E | MARKET PLATES/LABELS Decals outside Japan |
| YA01 | VEHICLE INSPECTION NUMBER YV1 |
| BF02 | OILPAN Oilpan without bulge |
| 0121 | COMMON 42 V526/V426 |
| 0202 | COMMON MATERIAL Common material - all type 42 cars |
| 3Q02 | END STOP LENGTH Length 2 |
| 4D01 | COMMON MATERIAL SEAT NUMBER 5 and 7 seats |
| 4D04 | COMMON MATERIAL SEAT NUMBER 4, 5, 6 and 7 seats |
| 6001 | PHONE AS KEY No phonekey |

| | |
|------|--|
| 6N03 | SHIELDED POT Unshielded Power Operated Tailgate |
| 7B65 | REAR AXLE WEIGHT, only CC Rear Axle Weight |
| 8605 | FRONT SEATS, RH Extra variant |
| CX01 | SOC-LEVEL Standard SOC-level |
| FC01 | FOIL, EXTERIOR No foil |
| FV01 | AUTONOMOUS VEHICLE No Autonomous Vehicle |
| FW01 | AUTONOMOUS DRIVE KIT No Autonomous Drive Kit |
| MD01 | LOCK CYLINDER GLOVEBOX No lock cylinder glovebox |
| PG01 | POWER OUTLET TUNNEL No 120/230 volt outlet in rear/lower tunnel console |
| R979 | TYRE CIRCUMFERENCE Rolling circumference 2305mm |
| XA21 | MARKET PLATES/LABELS Labels outside Korea |
| XE0D | USER EXCEPTIONS Not for Chengdu |
| 6J01 | REAR VIEW MIRROR INNER, TYPE Autodim without Frame |
| 6K01 | Tcm polestar sw extra variant |
| AG02 | TRANSMISSION AWD All wheel drive |
| C101 | STEERING WHEEL POSITION Left Hand Drive |
| CN02 | Stop/Start |
| CV02 | Active Grillshutter |
| DJ02 | Gearshift indicator |
| JS01 | REAR FOGLIGHT TOWFUNCTION Foglights running even when trailer is connected |
| LD01 | REAR VIEW MIRROR,LH SIDE LH side rear view mirror, wide angle |
| NN02 | Heated rear seat |
| RN02 | Hill Descent Control |
| RT02 | Heated steering wheel |
| KR02 | Adjustable speed limiter |
| LT01 | OPEN, REAR SIDE DOOR 1 pull to open Rear side door, from locked |
| 3O01 | END STOP QUANTITY, DRIVER SEAT Endstop driver seat, 1psc |
| 3X01 | ALARM LOGIC Alarm Logic Base |
| 8N02 | IHU LEVEL IHU high |
| EB01 | REFRIGERANT 1234YF |
| EK01 | SRS CALIBRATION SRS Calibration 1 |
| FL01 | BASE COLOUR INTERIOR Charcoal base colour interior |
| G102 | SELECTIVE CATALYTIC REDUCTION With UREA |
| JA03 | HEADLIGHTS,SYMMETRY R asymmetric |
| JG02 | HEADLIGHT CLEANING With headlight cleaning |
| JT02 | FOGLIGHTS IN SPOILER Foglight |
| K601 | TELEPHONE NETWORK Telephone system GSM |
| KT03 | VIDEO ALLOWED Speed dependent |
| L402 | Foot movement detection module |

| | |
|------|---|
| L702 | SELF OPENING BOOTLID/TAILGATE With poweroperated tailgate or bootlid |
| L902 | KEYLESS ENTRY Passive entry, incl. remote tag |
| LG01 | AUDIBLE LOCKING FEEDBACK Audible locking feedback disabled |
| LM01 | UNLOCK SETTING Two step unlocking enabled, default OFF, Slam locking disabled |
| MJ02 | Speech |
| MM02 | Digital owners manual |
| N601 | HEADRESTS FRONT 2 way headsrests Front, manual |
| NO02 | HEADRESTS 2:nd ROW, FOLDING EI folding rear headsrests |
| NP02 | SEATS 5seat |
| NT01 | END STOP MATERIAL End stop in plastic |
| NV02 | LUMBAR SUPPORT 4 way lumbar support |
| PD02 | INTERIOR ILLUMINATION Interior lightning high version |
| R603 | SPARE WHEEL Repair kit |
| RD02 | Hill start assist |
| RE03 | WHEEL BRAKES TYPE FRONT Brake discs 18' FN+ |
| RG08 | TYREPRESSURE MONITORING SYSTEM Indirect TPMS, EU Algorithm |
| RH02 | Post Impact Braking |
| RK02 | WHEEL BRAKES TYPE REAR Rear brake 17' 320x20 GG |
| RL02 | COLLISION MITIGATION SUPPORT With Collision Mitigation Support Front, ver.1 |
| RO02 | Road friction indication |
| RU02 | STEERING WHEEL Steering wheel, 3 spoke, leather with unideco inlays |
| RY04 | VIBR. DAMPER STEERING WHEEL Vibration damper, version 3 |
| T601 | LAMINATED WINDOWS Tempered glass, side & rear windows |
| TM02 | DECOR SIDE WINDOWS Bright decor side windows |
| TP02 | ROOF RAILS Roof rails integrated aluminium/silver |
| VB02 | GLOBAL NAVIGATION SAT SYSTEM With Global Navigation Satellite System |
| VC02 | TPMS MENU FUNCTIONS in IHU TPMS, Reset menu |
| LR02 | DARKENED REAR WINDOWS Dark glasses, rear sidedoor and cargo area |
| FK3X | COLOURS,INT/EXT Onyx Black |
| KU02 | TELEMATIC MODULE With Telematic module |
| LW02 | BLIND SPOT INFORMATION SYSTEM Blind spot Information System with CTA |
| N501 | ARMREST, MIDDLE REAR SEAT 2row Centre rear armrest with cupholders |
| PQ02 | Recess |
| 3M01 | PRODUCT LABEL Country of Origin |
| BD02 | Vacuum Less Brake System |
| JB0C | HEADLIGHTS, TYPE LED With Bending Light, type B, Top Range with HCM |
| K202 | DIGITAL RADIO RECEIVER DAB radio system |
| K802 | MEMORY, PASSENGER SEAT With memory, passenger seat |
| KW02 | Subwoofer |

| | |
|------|---|
| LQ01 | PRIVATE LOCKING LUGGAGE COMP. Private locking disabled |
| LV03 | INTERIOR MOTION SENSOR With interior motion sensor preparation |
| PU02 | Cushion extension |
| RP02 | RADARTYPE With CADS 4 |
| PA02 | OVERHEAD CONSOLE ILLUMINATION Overhead console lightning high version |
| TL05 | SILLMOULDING Sillmoulding 'Volvo' metal illuminated |
| K904 | INDUCTIVE CHARGING, SMARTPHONE Inductive Charging for smartphone + OnOff Btn Enable |
| MG02 | APMS Air borne Particulate Matter Sensor, aka PM2.5-sensor |
| VP04 | PARKING ASSISTANCE Parking assistance, Semi-Automatic Parking |
| AA04 | VEHICLE TYPE V526 XC90 |
| N002 | BOTTLEHOLDER IN CARGO AREA Strap/Bottleholder in cargo area |
| CQ03 | DRIVE MODE With drive mode glass button switch CSD |
| N903 | CHILD SEATS, REAR SEATS, 2row Child seat centre rear seat |
| 2L09 | LEVELLING SENSOR CONFIGURATION SUM, Front Left, Front right, Rear Left, Rear Right |
| R121 | WHEEL A 21' 9.0x21x38.5 21'designC (V526) |
| 8V02 | CAR/STEERING/SEAT Extra Variant |
| LZ02 | EXTRA VARIANT |
| 104C | INTERIOR CODE Charcoal interior/LeaC/Slate seat/Comfort |
| 2C01 | TOWBAR No towbar |
| 3A01 | SCREEN THEMES/SKINS Screen Skins 'Standard 1' |
| 3C02 | NUMBER PLATE ADAPTER FRONT Number Plate ADAPTer 1 'EU' |
| 8701 | FRONT SEAT, LEFT HAND SIDE LH Seat, extra variant |
| 8801 | FRONT SEAT, RIGHT HAND SIDE RH Seat, Extra variant |
| 8H01 | SEAT PADDING Comfort seat padding |
| CA02 | ENGINE FAMILY 2 VED4 Engines |
| CB01 | PROPULSION TYPE Combustion engine only |
| CJ01 | ELECTRIC VEHICLE INLET No Electric Vehicle Inlet |
| DD01 | PEDAL ARRANGEMENT Pedal standard |
| EL02 | SAFETY BELT Safety Belt, type B |
| EO02 | AIRBAG, DRIVER/PASSENGER Airbag, type B |
| EY01 | PINCH PROTECTION LEVEL Standard pinch protection |
| GB02 | DIAGNOSIS SYSTEM EOBD |
| JC01 | EXTERIOR LIGHT LOGIC DDRL not together with position light |
| K702 | REAR WIEW MIRRORS,OUTER Retractable Rear View Mirrors |
| KJ03 | SAFETY BELT REMINDER Belt minder all seats, EU logic |
| KL03 | REGION IF DVD DVD region 2 |
| L302 | CHILD LOCK.REAR DOORS Electrical child lock, rear side doors |

| | |
|------|---|
| LA02 | CENTRAL LOCK SWITCHES Central lock switches in both front doors |
| LF01 | REAR VIEW MIRROR CAP With colour matched rear view mirror cap |
| MN01 | FREQUENCY BAND & STEP,RADIO Frequency band and step for EU |
| MQ02 | LANGUAGE REGION Language Region for Europe |
| N301 | NETPOCKET IN CARGO AREA No netpocket in cargo area |
| NQ01 | POWER FOLD & RISE 3:d ROW No fold & rise 3:d row rear seat |
| RS02 | EMERGENCY BRAKE LIGHT EBL, Flashing Brake Light and Hazard Warning |
| TB02 | WINDSCREEN WIPER Wet arms, not heated |
| VA02 | NAVI MAP REGIONS Map region for Europe |
| XA03 | MARKET PLATES/LABELS Decals outside Russia |
| XA06 | MARKET PLATES/LABELS Decals outside Latin America/Mexico/Russia |
| XA0D | MARKET PLATES/LABELS Labels outside USA |
| XA0F | MARKET PLATES/LABELS Decals outside China |
| XA10 | MARKET PLATES/LABELS Decals outside Japan/China/Korea |
| XA14 | MARKET PLATES/LABELS Decals outside India |
| XA18 | MARKET PLATES/LABELS Decals outside Arabia |
| XA19 | MARKET PLATES/LABELS Labels for Europe |
| XA22 | MARKET PLATES/LABELS Labels outside USA/CANADA |
| XC01 | MAIN MARKET Europe and Overseas markets |
| XD01 | USER PACKAGES User package |
| XE05 | USER EXCEPTIONS Not for Malaysia |
| LE01 | REAR WIEW MIRROR, RH SIDE RH side mirror, wide angle, without text |
| KS02 | CENTER STACK DISPLAY 9 inch 3.0 // CSD 3.0 |
| 2B02 | HEATER TYPE FOH, Fuel Operated Heater,with timer |
| 1202 | EXTERIOR PAINT,TYPE Metallic |
| 2501 | Service solution |
| 2X02 | REMOTE ENGINE START PRECOND Remote Engine Start Precond from smartphone app |
| 3501 | LAMBDA SENSORS 2 Lambda probes |
| 4704 | Sunvisor decal |
| 4Y03 | SW MAJOR VERSION SW Major 03 |
| 5401 | PARTS FOR SPECIAL PRODUCTS Parts excluded for Special Vehicle |
| 6501 | SPECIAL VEHICLE WEIGHT VERSION Standard vehicle |
| 8502 | FRONT SEATS, LH Extra variant |
| 8A01 | COLOURED PROTECTION CARPETS Charcoal carpet kit, X-variant |
| 9301 | LEATHER/VINYL CARE KIT No leather care kit |
| CD03 | ENGINE GENERATION VEA2 VEA generation 3 |
| CR03 | ALTERNATOR Alternator/Starter motor |
| CS0C | BATTERY H7 AGM Exide 80Ah 800CCA |

| | |
|------|--|
| EJ02 | CUTOFF SWITCH PASSENGER AIRBAG Cut-Off Switch Passenger AirBag |
| FB01 | Colour matching, exterior |
| FB02 | Colour matching, exterior |
| FF01 | IF INSCRIPTION: LOGO HEAD REST No Inscription logo on headrest upholstery |
| FJ01 | DIVERGENT COLOUR HEADLINING Standard colour on headlining/ceiling |
| FT02 | Lane Keeping Aid |
| FU05 | EMERGENCY LANE KEEPING AID Emergency Lane Keeping Aid 4 |
| GG2F | EMISSION VERSION 2 VEA gen 3, Euro 6d, Kers |
| GS01 | SURFACE TREATMENT TYPE GRILL Standard surface treatment grill |
| KD12 | SPEED LIMITATION Speed limit 180 km/h |
| LS01 | SHIELDED WIRE, IF POT No shielded wire |
| MO0F | SYSTEM LANGUAGE German |
| MS1C | INSTRUCTIONS Owners manual German, with warranty book, new owner pages, service directory + road map |
| MV3C | SERVICE DISTANCE Service distance 30000 km / ~18640 miles |
| NI02 | DRIVERS SEAT Power adjustable drivers seat with memory |
| NM02 | Heated front seats |
| P301 | TOLL ROAD TRANSPONDER No Toll Road Transponder |
| PE02 | 12 VOLT OUTLET LUGGAGE 12V Power outlet, Luggage area |
| PI03 | FIRST AID KIT Aidkit type 2 |
| RM02 | COLLISION MITIG. & WARN. REAR With Rear Collision Warning and Mitigation |
| RZ02 | POWER STEERING PERSONALISATION With Electro Power Steering Personalisation |
| SL03 | STEER. COLUMN LOCK/KEY WARNING With steering column lock, Key warning disabled |
| T801 | IR REFLECTIVE GLASS WINDSCREEN Standard Windscreen Glass |
| TF02 | SCUFF PLATE BOOT Rear scuff plate, metal |
| TS02 | Warning Triangle |
| UD02 | Fender sealing |
| XA04 | MARKET PLATES/LABELS Labels for MID EU |
| XA0B | MARKET PLATES/LABELS Labels outside Australia |
| XB19 | PLATES/DECALS Labels for MFK19 |
| YQ03 | TYRE PRESSURE SPARE WHEEL - The sign '-' to be printed. |
| YR01 | NTA-CODE No NTA numbers |
| 4801 | WINDSCREEN FOR SPECV Standard Windscreen, follows base car |
| 4901 | SEAT BELT FOR SPECV Standard Belt, follows base car |
| 4E01 | REAR SEAT REMOTE FUNCTIONALITY No rear seat remote functionality |
| 6301 | HATCH/RAILS Extra variant HATCH/RAILS |
| 6601 | SPECIAL VEHICLES CAR CONFIG Standard Vehicle, no SPECV CC |
| 6701 | SPECIAL VEHICLES SPEED LIMIT Standard Speed Limitation |

| | | |
|------|--------------------------------|--|
| 7511 | DOOR PANEL, FRONT DOORS | Door panel front door |
| 8901 | SUNVISOR ILLUMINATED/DECAL | Sunvisor illuminated, kombination variant |
| CT03 | HYBRID BATTERY | Battery 1 |
| EV02 | ROOF HATCH | Openable panorama roof |
| FA01 | COLOUR MATCHING, INTERIOR | Colour matching interior |
| G601 | FUEL TANK, VOLUME | Volume 71 Litre |
| ND01 | HEADLINING MATERIAL | Standard material in headlining |
| NE05 | LEATHER/DRESSED INTERIOR PARTS | Dressed interior parts |
| NJ02 | PASSENGERS SEAT | Power adjustable passengers seat |
| NX01 | COMFORT MODULE, SIDEPANEL | No comfort module, sidepanel luggage area |
| R206 | TYRE, INCH 21' | Tyre |
| TR07 | DOOR MOULDING LOWER | Painted door moulding lower, with chrome (Blank) |
| YC59 | MAX FRONT AXLE WEIGHT, C3 | 1320 kg |
| YJ08 | TYRE PRESSURE LH LR | Low speed, heavy load, rear, 270 kPa |
| YK08 | TYRE PRESSURE LH LF | Low speed, heavy load, front, 270 kPa |
| YN08 | TYRE PRESSURE HH LR | High speed, heavy load, rear, 270 kPa |
| YO08 | TYRE PRESSURE HH LF | High speed, heavy load, front, 270 kPa |
| 2H01 | PAC CALIBRATION | PAC calibration standard |
| 8D08 | OUTER REAR VIEW MIRRORS | Outer rear view mirror package |
| T201 | ENGINE EMBLEM | No engine emblem |
| 3E01 | INSULATION CARPETS | Standard spec NVH-carpets |
| 4403 | CHILDSEAT DECAL | Child seat decal, eng |
| 6L01 | POT VERSION | Standard POT |
| 8I06 | MATERIAL/PADDING | Combination variant: Material/Padding |
| DI01 | GEARLEVER,TYPE/KNOB | Gearlever knob, crystal |
| ED02 | CLIMATE CONTROL UNIT | Electronic Climate Control, 4 zone |
| NH02 | MASSAGE FRONT SEAT | Massage, front seat |
| NK02 | FRONT SEAT VENTILATION | Ventilated seat |
| NS02 | | Power adjustable side support |
| PK02 | LOADCOVER | Load cover, automatic |
| RA04 | CHASSIS TYPE | Chassis, CCD |
| RB02 | ACTIVE SUSPENSION | Continious Controlled Chassi |
| RF02 | DEFAULT RIDE HEIGHT | Default ride height with air suspension |
| RI03 | AIR SUSPENSION | Air suspension, 4 corner |
| XE02 | USER EXCEPTIONS | Only for Volvo Cars Torslanda |
| YP47 | WVTA-NUMBER | E4*2007/46*0929 |
| 7319 | DOOR PANEL, REAR DOORS | Door Panel 20, rear door |
| DR03 | ENGINE COOLING FAN PERFORMANCE | Fan high performance |
| KE01 | AUTOMOTIVE SERVICE | No Automotive Service (No iCUP) |

| | |
|------|--|
| YB08 | YEAR DESIGNATION LETTER Year des N = model year 2022 |
| CY06 | SUPPORT BATTERY Support Battery 5, 48V |
| TD02 | FRONT MESH Painted front mesh with chrome strip |
| R438 | TYRE BRAND Continental Y, with cavity noise damping |
| R509 | TYRE DIMENSION 275/40R21 |
| TJ04 | BUMPERS/SILL MOULDING Painted bumper, Inscription |
| YH05 | TYRE PRESSURE LLLR Low speed, light load, rear, 240 kPa |
| YL05 | TYRE PRESSURE HLLR High speed, light load, rear, 240 kPa |
| 4Z04 | SW PATCH VERSION SW Patch 04 |
| YD03 | MAX REAR AXLE WEIGHT, C4 1390 kg |
| YI05 | TYRE PRESSURE LLLF Low speed, light load, front, 240 kPa |
| YM05 | TYRE PRESSURE HLLF High speed, light load, front, 240 kPa |
| 7A74 | FRONT AXLE WEIGHT, only CC Front Axle Weight |
| C40A | ENGINE DENOMINATION Engine D5 |
| CC06 | ENGINE GENERATION VEA VED4 generation 3 |
| GH10 | CATALYST TYPE Catalyst Diesel 6d |
| 8Z58 | CABLE HARNESS ENGINE Extra variant |
| CE18 | ENGINE/GENERATION D420T2 GEN 3 |
| CF1C | ENGINE VED4 HP 2.0L 235/480 |
| RJ02 | CHASSIS TYPE CCD With CCD Standard |
| 2P02 | POLESTAR PERFORMANCE SW Option Polestar Performance Software (Accessories) |
| 4W06 | SW MINOR VERSION SW Minor 06 |
| YE91 | GROSS WEIGHT, C1 2670 kg |
| YF63 | TRAIN WEIGHT, C2 5370 kg |
| 940E | REAR AXLE CABLE HARNESS Extra variant |
| 261B | ENGINE OPTIMIZATION AFTERMARKE DK2KERS 235/10/480 -> |
| KF03 | CURVE SPEED ASSIST With CSA, without CSW |
| FS08 | TRAFFIC SIGN INFORMATION MID EU, TSI without SLA |

Istorija

Rasti įvairių tipų automobilio istorijos įrašai laiko juostoje.



2021



Žalos / remonto
vertinimas

2022-10 |  Vokietija | 24 000 km



Techninė apžiūra

2024-02 |  Lietuva | 47 656 km

Apžiūros galiojimas iki: 2026-02
Atlikta techninė apžiūra - pirminė apžiūra:
Be trūkumų.



Techninė apžiūra

2024-02 |  Lietuva | 47 618 km

Apžiūros galiojimas iki: 2026-01
Atlikta techninė apžiūra - pirminė apžiūra:
Be trūkumų.

Rida

Iš įvairių šaltinių surinkti duomenys apie fiksuotą automobilio ridą, jos kitimas.




Autoistorija.lt įžvalga:

Mūsų duomenys gaunami iš įvairių oficialių duomenų šaltinių, tačiau mes vis tiek, rekomenduojame atlikti profesionalią automobilio apžiūrą su specialistais.

Duomenų klaida 

2024-02

47 618 km



Eismo įvykiai / žalos / defektai

Iš įvairių šaltinių surinkti duomenys apie fiksuotus eismo įvykius, žalias ar transporto priemonės defektus



Svarbu prieš vertinant žalą:

Ne visi ataskaitoje esantys įrašai reiškia realią žalos ar eismo įvykio pasekmę.


Kai kurie įrašai gali atsirasti ne dėl pačios žalos, o dėl žalos vertinimo, likutinės vertės apskaičiavimo, draudimo bendrovių procesų, brangesnių remonto darbų, apžiūrų, diagnostikos, vertinimų prieš pardavimą ar kitų formalių procedūrų.

[Skaityti daugiau »](#)

Aptikome **1** su šia transporto priemone susijusius įrašus:



Žalos / remonto vertinimas



Data

2022-10

Rida

(24 000 km)

Fiksavimo šalis:



Vokietija

Preliminari remonto kaina

€ 1501 - € 3000

CO₂ emisija

Kiek CO₂ emisijų išskiria šio modelio / metų transporto priemonės?



Autoistorija.lt įžvalga:

Kiekvienai transporto priemonei priskiriama CO₂ emisijos klasė (nuo "A" iki "G") pagal tai, kokį emisijos kiekį ji išskiria.



Taršos mokestis 
87 €



CO₂ emisija g/km
150 g/km



CO₂ emisijos klasė
C



Kuro tipas
Dyzelinas / Elektra

CO₂ emisija (g/km)

0 - 120 **A**

120 - 140 **B**

140 - 155 **C**

155 - 170 **D**

170 - 190 **E**

190 - 225 **F**

225 + **G**

Vagysčių patikra

Policijos ir kitų duomenų bazių informacija apie tai, ar automobilis nėra paieškomas.



Neradome jokių įrašų, jog transporto priemonė būtų pavogta.

Įrašai apie galimas transporto priemonės vagystes buvo atliekami šių šalių duomenų bazėse:



Lietuva



Slovėnija



Slovakija



Čekija



Vengrija



Italija



Rumunija



Vokietija